



PURCHASING DEPARTMENT
DIVISION OF BUDGET & FINANCE

PUR-1625
ADDENDUM NO. 3
INVITATION TO BID

CIRCUIT COURT CHILLER REPLACEMENT

DATE: Friday, July 21, 2023

BIDS DUE: Wednesday, August 2, 2023
2:00 P.M.(EDT/EST)

To Bidders:

This Addendum is hereby made a part of the Contract Documents on which all bids will be based and is issued to correct and clarify the original documents.

Please acknowledge receipt of this Addendum at the appropriate space on the Bid Form. This Addendum consists of one (1) page.

NOTE: All Bidders must enter the Washington County Administration Complex through either the front door at the 100 West Washington Street entrance or through the rear entrance (w/blue canopy roof) which is handicap accessible and must use the elevator to access the Purchasing Department to submit their bid and/or to attend the Pre-Bid Conference. Alternate routes are controlled by a door access system. The general public will be subject to wand search and will be required to remove any unauthorized items from the building prior to entry. Prohibited items include but are not limited to: Weapons of any type; Firearms, ammunition, and explosive devices; Cutting instruments of any type - including knives, scissors, box cutters, work tools, knitting needles, or anything with a cutting edge, etc.; Pepper spray, mace, or any other chemical defense sprays; and Illegal substances.

ITEM NO. 1: Inquiry: I was not able to attend the site visit but am very interested in bidding this job. Would it be possible to come out early next week to take a quick look at existing chiller?

Response: The facility is available for a site visit during normal business hours, please contact Andrew Eshleman, Director of Public Works, at 240-313-2252 to make arrangements for a site visit.

By Authority of:

Rick F. Curry, CPPO
Director of Purchasing

(NOTE: The wording of all "Inquiries" submitted are displayed exactly as received.)

100 West Washington Street, Room 320 | Hagerstown, MD 21740-4748 | P: 240.313.2330 | F: 240.313.2331 | Hearing Impaired: 7-1-1